

DANTE05G M.2 NVMe SSD Enclosure with USB 3.2 Gen 2

Product Images



Short Description

- **High-speed performance:** USB 3.2 Gen 2 delivers transfer speeds up to 10Gbps.
- **NVMe SSD support:** Fits 22×30, 22×42, 22×60 and 22×80 M.2 PCIe NVMe SSDs (M/B+M)

key).

- **UASP support:** Enhances transfer efficiency and reduces latency.
- **Heat-dissipating design:** Aluminum casing improves thermal performance.
- **Tool-free assembly:** Compact screwless enclosure for quick installation.
- **Plug-and-play:** No driver needed for instant use.

Description

The M.2 NVMe SSD Enclosure with USB 3.2 Gen 2 delivers fast and stable data transmission with transfer speeds up to 10Gbps via USB 3.2 Gen 2. The USB-C interface provides an easy, reversible connection and remains backward-compatible with USB 3.0 and USB 2.0. Designed for PCIe NVMe M.2 SSDs, it supports multiple drive lengths and offers an ultra-slim aluminum casing for efficient heat dissipation. With its compact screwless design and simple plug-and-play setup, it's ideal for transferring large video files, backups, or expanding portable storage.

Additional Information

Harmonized System (HS) code.	847180
Customs product code (TARIC).	8471800000
Approval and Compliance.	CE, RoHS
Incompatibility.	Does not support SATA SSD
Operating temperature.	0°C ~ 45°C
Supported drive types.	M.2 PCIe NVMe SSD
Compatible operating systems.	Windows XP/Vista/7/8/10/11 Mac OS X 10.7 and higher
Package Contents.	M.2 SSD enclosure USB-C and USB-A 2-in-1 cable Fixed fasteners Multilingual quick installation guide
Color.	Grey
EAN.	4015867238080
Model Number.	DANTE05G
Case Material.	Aluminum
Dimensions (W x D x H).	38.4 x 104.5 x 12.5 mm
Product weight (kg).	0.065
PCI version.	PCIe 3.0
Connector.	USB-C female
Data Rate.	10Gbps
Standards.	USB 3.2 Gen 2
Supported drive capacity.	10 TB

