

DONN01B 3-in-1 USB-C Docking Station, HDMI 4K 30Hz, USB-C PD 100W, USB-A 5Gbps, USB 3.2 Gen 1 Multiport Adapter

Product Images



Short Description

- **Connector:** 3-in-1 USB-C to HDMI/USB-C PD/USB-A (5Gbps) multiport adapter
- **Video output:** HDMI up to 4K 30Hz
- **Power delivery:** USB-C PD pass-through up to 100W
- **Usb ports:** USB-A 5Gbps (USB 3.2 Gen 1)
- **Compatibility:** Windows, macOS, ChromeOS, Linux, Android, iOS
- **Installation:** Simple Plug and Play
- **Cable length:** 25cm
- **Build:** Aluminum casing for heat dissipation

Description

The DONN01B 3-in-1 USB-C Docking Station expands your device's USB-C port with HDMI video output, USB-C Power Delivery and a USB-A data port, providing a simple way to add an external display and essential connectivity through one compact adapter.

With HDMI supporting resolutions up to 4K 30Hz, the adapter makes it easy to connect an HDTV, monitor or projector to compatible USB-C devices such as smartphones, portable gaming consoles, MacBook, Chromebook Pixel or similar late-model laptops. It is ideal for home entertainment, office presentations and classroom teaching where a larger screen is needed.

The USB-C port supports up to 100W USB Power Delivery pass-through to charge the host device, while the USB-A port delivers USB 3.2 Gen 1 SuperSpeed data transfer up to 5Gb/s for peripherals and storage. Featuring a 25cm integrated cable, aluminum casing for efficient heat dissipation and simple plug-and-play installation across Windows, macOS, ChromeOS, Linux, Android and iOS, the DONN01B offers convenient everyday expansion via a single USB-C connection.

Additional Information

Harmonized System (HS) code.	8471800000
Customs product code (TARIC).	8471800000
Approval and Compliance.	CE, RoHS
Operating temperature.	0°C ~ 45°C
Package Contents.	DONN01B Multilingual quick installation guide
Color.	Grey
EAN.	4015867237991
Model Number.	DONN01B
Cable Length.	0.25m
Dimensions (W x D x H).	58 x 52 x 12 mm
Product weight (kg).	0.04
USB Power Delivery (PD).	100W
Connector.	USB-C male
Data Rate.	5Gbps
Port Configuration.	HDMI x 1, USB-C PD x 1, USB 3.0 x 1
Power supply included.	No
Resolutions.	4K 30Hz
Standards.	HDMI 1.4, USB PD 3.0, USB 3.2 Gen 1

