

DONN06G 10-in-1 USB-C Docking Station, HDMI 4K 30Hz, USB-C PD 100W, USB-C 5Gbps x2, USB-A 5Gbps x3, SD/TF Card Reader, GbE 1000Mbps, USB 3.2 Gen 1 Multiport Adapter

Product Images





Short Description

- **Connector:** 10-in-1 USB-C to HDMI/GbE/USB-C PD/USB-C 5Gbps/USB-A 5Gbps/SD/TF multiport adapter
- **Video output:** HDMI up to 4K 30Hz
- **Power delivery:** USB-C PD pass-through up to 100W
- **Usb ports:** USB 3.2 Gen 1 SuperSpeed 5Gb/s (USB-C 5Gbps x2, USB-A 5Gbps x3)
- **Ethernet:** Gigabit Ethernet up to 1000Mbps with Wake-on-LAN
- **Card reader:** SD 3.0 and MicroSD/TF 3.0, simultaneous reading and writing
- **Compatibility:** Windows, macOS, ChromeOS
- **Installation:** Simple Plug and Play
- **Cable length:** 20cm
- **Build:** Aluminum casing for heat dissipation

Description

The DONN06G 10-in-1 USB-C Docking Station expands a single USB-C port into HDMI, USB-C Power Delivery, dual USB-C 5Gbps, three USB-A 5Gbps, Gigabit Ethernet and SD/TF card readers, providing a complete connectivity hub for modern laptops and mobile devices.

With HDMI output supporting resolutions up to 4K 30Hz, the dock makes it easy to connect an HDTV, monitor or projector to USB-C devices such as smartphones, portable gaming consoles, MacBook, Chromebook Pixel or other late-model USB-C laptops. It is ideal for home entertainment, office presentations and classroom teaching where a larger screen is needed.

The docking station supports USB Power Delivery up to 100W to charge the host device, while the integrated Gigabit Ethernet port delivers wired speeds up to 1000Mbps with Wake-on-LAN support for remote startup. USB 3.2 Gen 1 SuperSpeed 5Gb/s on the USB-C and USB-A ports ensures efficient data transfer, and SD 3.0 and MicroSD/TF 3.0 slots support simultaneous card reading and writing. With a 20cm cable, aluminum casing for heat dissipation, plug-and-play installation and compatibility with Windows, macOS and ChromeOS, the DONN06G is a practical all-in-one expansion solution.

Additional Information

Harmonized System (HS) code.	847180
Customs product code (TARIC).	8471800000
Approval and Compliance.	CE, RoHS
Operating temperature.	-40°C ~ 80°C
Compatible operating systems.	Windows 10/11 MacOS 10.5 or above Android 5.0 or above
Package Contents.	DONN06G Multilingual quick installation guide
Color.	Grey
EAN.	4015867237809
Model Number.	DONN06G
Cable Length.	0.2m
Dimensions (W x D x H).	55.39 x 16.6 x 125 mm
Product weight (kg).	0.099
USB Power Delivery (PD).	100W
Connector.	USB-C male
Data Rate.	5Gbps
Port Configuration.	HDMI x 1, USB-C PD x 1, USB-C 5Gbps x 2, USB-A 5Gbps x 3, SD x 1, MicroSD/TF x 1, GbE x 1
Power supply included.	No
Resolutions.	4K 30Hz
Standards.	HDMI 1.4, SD 3.0, MicroSD 3.0, USB 3.2 Gen 1

