

DONN29G 6-in-1 USB-C Docking Station, HDMI 4K 60Hz, USB-C PD 3.1 140W, USB- A 10Gbps x2, USB-C 10Gbps, GbE 1000Mbps, USB 3.2 Gen 2 Multiport Adapter

Product Images





Short Description

- **Connector:** 6-in-1 USB-C to HDMI/USB-C PD/USB-A (10Gbps)/USB-C (10Gbps)/GbE multiport adapter
- **Video output:** HDMI up to 4K 60Hz
- **Power delivery:** USB-C PD 3.1 up to 140W
- **USB ports:** USB 3.2 Gen 2 SuperSpeed 10Gb/s (USB-A 10Gbps x2, USB-C 10Gbps)
- **Ethernet:** Gigabit Ethernet up to 1000Mbps with Wake-on-LAN
- **Compatibility:** Windows, macOS, ChromeOS, Linux, Android, iOS
- **Installation:** Simple Plug and Play
- **Cable length:** 25cm
- **Build:** Aluminum casing for heat dissipation

Description

The DONN29G 6-in-1 USB-C Docking Station expands a single USB-C port with HDMI, USB-C Power Delivery, USB-C 10Gbps, dual USB-A 10Gbps and Gigabit Ethernet, providing a high-speed hub for modern USB-C laptops and mobile devices.

It enables USB-C-compatible laptops, tablets or smartphones to connect to an HDMI-enabled display, supporting resolutions up to 4K 60Hz for smooth, detailed Ultra HD

output. This makes it well suited for home entertainment, office presentations and classroom teaching where reliable 4K performance is required.

The docking station supports USB Power Delivery 3.1 up to 140W for compatible hosts, while USB 3.2 Gen 2 SuperSpeed 10Gb/s on the USB-A and USB-C data ports ensures fast, stable transfers for external drives and peripherals. The built-in Gigabit Ethernet port delivers wired speeds up to 1000Mbps with Wake-on-LAN support. With a 25cm cable, aluminum casing for heat dissipation, plug-and-play installation and compatibility with Windows, macOS, ChromeOS, Linux, Android and iOS, the DONN29G is a powerful, compact connectivity solution.

Additional Information

Harmonized System (HS) code.	8471800000
Customs product code (TARIC).	8471800000
Approval and Compliance.	CE, RoHS
Operating temperature.	0°C ~ 45°C
Compatible operating systems.	Windows XP/Vista/7/8/10/11 MacOS 10.5 or above Android 5.0 or above
Package Contents.	DONN29G Multilingual quick installation guide
Color.	Grey
EAN.	4015867239629
Model Number.	DONN29G
Cable Length.	0.25m
Dimensions (W x D x H).	131.5 x 32.5 x 14 mm
Product weight (kg).	0.06
USB Power Delivery (PD).	140W
Connector.	USB-C male
Data Rate.	10Gbps
Port Configuration.	HDMI x 1, USB-A 10Gbps x 2, USB-C 10Gbps x 1, USB-C PD x 1, GbE x 1
Power supply included.	No
Resolutions.	4K 60Hz
Standards.	IEEE 802.3ab 1000BASE-T, Gigabit Ethernet, HDMI 2.0, USB PD 3.1, USB 3.2 Gen 2

