


119331 DisplayPort 1.2 Cable, DisplayPort Male to Male, 1.0m, 4K/60Hz, 21.6Gbps, Audio Video Transmission

Product Images



Short Description

- **Connector:** DisplayPort Male to DisplayPort Male
- **Display standard:** DisplayPort 1.2
- **Max resolution:** Up to 4K/60Hz (3840 × 2160)
- **Data rate:** Up to 21.6Gbps
- **Signal support:** Audio and video transmission
- **Connector design:** Metal latch, nickel-plated
- **Cable jacket:** PVC
- **Length:** 1.0m

Description

The equip® DisplayPort 1.2 Cable is designed for high-quality digital audio and video transmission between computers, monitors, and home theater systems, supporting resolutions up to 4K at 60Hz.

This cable is suitable for connecting desktops, laptops, docking stations, and graphics cards to DisplayPort-enabled monitors or displays. It supports simultaneous audio and video transmission, making it ideal for professional workstations, gaming setups, and multimedia environments.

Built with a durable PVC jacket and nickel-plated connectors, the cable features a secure metal latch to prevent accidental disconnection. With a bandwidth of up to 21.6Gbps, it ensures stable signal transmission, reliable image quality, and consistent performance for everyday and professional use.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Max. Resolution.	4K/60Hz
Connector 1.	DisplayPort, male
Connector 2.	DisplayPort, male
Approval and Compliance.	RoHS
Package Contents.	DisplayPort 1.2 Cable
Color.	Black
EAN.	4015867153093
Model Number.	119331
Cable Length.	1m
Dimensions (W x D x H).	44 x 13 x 1000 mm
Product weight (kg).	0,071
Conductor material.	CCS
Data Rate.	21.6Gbps
DisplayPort version.	1.2
Cable Jacket material.	PVC
Standards.	DisplayPort 1.2

