


119332 DisplayPort 1.2 Cable, DisplayPort Male to Male, 2.0m, 4K/60Hz, 21.6Gbps, Audio Video Transmission

Product Images



Short Description

- **Connector:** DisplayPort Male to DisplayPort Male
- **Display standard:** DisplayPort 1.2
- **Max resolution:** Up to 4K/60Hz (3840 × 2160)
- **Data rate:** Up to 21.6Gbps
- **Signal support:** Audio and video transmission
- **Connector design:** Metal latch, nickel-plated
- **Cable jacket:** PVC
- **Length:** 2.0m

Description

The equip® DisplayPort 1.2 Cable provides stable digital audio and video transmission for connecting a computer to a DisplayPort monitor or display, supporting resolutions up to 4K at 60Hz.

Designed for workstations, home offices, and home theater setups, this cable connects desktops, laptops, docking stations, or graphics cards to DisplayPort-enabled monitors and projectors. It supports both audio and video signals through a single cable for a clean and reliable setup.

The PVC jacket helps protect the cable during daily use, while nickel-plated connectors and a secure metal latch reduce signal loss and help prevent accidental unplugging. With bandwidth up to 21.6Gbps, it supports smooth 4K visuals and consistent performance.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Max. Resolution.	4K/60Hz
Connector 1.	DisplayPort, male
Connector 2.	DisplayPort, male
Approval and Compliance.	RoHS
Package Contents.	DisplayPort 1.2 Cable
Color.	Black
EAN.	4015867153109
Model Number.	119332
Cable Length.	2m
Dimensions (W x D x H).	20 x 12 x 2000 mm
Product weight (kg).	0,12
Conductor material.	CCS
Data Rate.	21.6Gbps
DisplayPort version.	1.2
Cable Jacket material.	PVC
Standards.	DisplayPort 1.2

