


119333 DisplayPort 1.2 Cable, DisplayPort Male to Male, 3.0m, 4K/60Hz, 21.6Gbps, Audio Video Transmission

Product Images



Short Description

- **Connector:** DisplayPort Male to DisplayPort Male
- **Display standard:** DisplayPort 1.2
- **Max resolution:** Up to 4K/60Hz (3840 × 2160)
- **Data rate:** Up to 21.6Gbps
- **Signal support:** Audio and video transmission
- **Connector design:** Metal latch, nickel-plated
- **Cable jacket:** PVC
- **Length:** 3.0m

Description

The equip® DisplayPort 1.2 Cable provides stable digital audio and video transmission for connecting a computer to a DisplayPort monitor or display, supporting resolutions up to 4K at 60Hz.

Built for office and home setups, this cable connects desktops, laptops, docking stations, or graphics cards to DisplayPort-enabled monitors and projectors. It carries both audio and video over one connection to simplify cabling for work, streaming, and presentations.

The PVC jacket supports daily handling, while nickel-plated connectors and a secure metal latch help maintain consistent contact and reduce accidental disconnection. With bandwidth up to 21.6Gbps, it supports smooth 4K visuals and reliable signal delivery.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Max. Resolution.	4K/60Hz
Connector 1.	DisplayPort, male
Connector 2.	DisplayPort, male
Approval and Compliance.	RoHS
Package Contents.	DisplayPort 1.2 Cable
Color.	Black
EAN.	4015867153116
Model Number.	119333
Cable Length.	3m
Dimensions (W x D x H).	20 x 12 x 3000 mm
Product weight (kg).	0,17
Conductor material.	CCS
Data Rate.	21.6Gbps
DisplayPort version.	1.2
Cable Jacket material.	PVC
Standards.	DisplayPort 1.2

