

119338 DisplayPort to VGA Cable, 2.0m, DisplayPort Male to VGA Male, 1920×1200 60Hz

Product Images





Short Description

- **Connector type:** DisplayPort Male to VGA (HD15) Male.
- **Resolution support:** Up to 1920×1200 at 60Hz for clear and stable video output.
- **Signal stability:** Double-shielded construction reduces interference and ensures reliable transmission.
- **Durability:** Gold-plated connectors enhance conductivity and long-term performance.
- **Cable length:** 2.0m for flexible setup and easy placement.
- **Plug-and-play setup:** Works instantly with no extra steps.

Description

The 119338 DisplayPort to VGA Cable provides a simple and reliable solution for connecting a DisplayPort-enabled computer to a VGA display such as a monitor, projector, or TV. Designed with double shielding and gold-plated connectors, it delivers stable signal transmission with resolutions up to 1920×1200 at 60Hz. Whether you're extending your desktop, mirroring your display, or connecting to legacy VGA equipment, this cable ensures clear and consistent output without the need for additional adapters.

Additional Information

Harmonized System (HS) code.	853690
Customs product code (TARIC).	8536901000
Angled Plug.	No
Max. Resolution.	1080P
Connector 1.	DisplayPort, male
Connector 2.	VGA (HD15), male
Approval and Compliance.	RoHS
Operating temperature.	0°C ~ 40°C
Package Contents.	DisplayPort Male to VGA (HD15) Male Cable
Color.	Black
EAN.	4015867225721
Model Number.	119338
Cable Length.	2m
Dimensions (W x D x H).	6 x 6 x 2000 mm
Product weight (kg).	0.12
Material.	Plastic
Video Output Port.	VGA

