

119382 HDMI 2.1 Ultra High Speed Cable, 3.0m, 8K/60Hz, 4K/120Hz

Product Images





Short Description

- HDMI 2.1 Compatible
- Supports HDMI Ethernet Channel (HEC)
- Bandwidth up to 48Gbps
- High Speed with Ethernet
- Supports video resolutions up to 8K/60Hz, 4K/120Hz,
- Up to 1536 kHz audio sampling rate
- Support 3D and Audio Return Channel (ARC)
- Dynamic HDR (HDR Dynamic Metadata)
- Enhanced Audio Return Channel (eARC)
- Variable Refresh Rate (VRR)
- Quick Media Switching (QMS)
- Quick Frame Transport (QFT)
- Auto Low Latency Mode (ALLM)
- Display Stream Compression (DSC)
- Premium braided Cotton mesh
- Aluminum casing
- Resolution up to below: (depending on the system and the connected hardware)
- Data transfer without DSC (display stream compression).

8k: 7680 x 4320 @ 30 Hz.

5k: 5120 x 2880 @ 60 Hz.

4k: 3840 x 2160 @ 144 Hz.

2k: 2560 x 1440 @ 240 Hz.
1080P: 1920 x 1200 @ 240 Hz.

Data transfer with DSC support. (display stream compression).

8k: 7680 x 4320 @ 60 Hz (DSC).
5k: 5120 x 2880 @ 120 Hz (DSC).
4k: 3840 x 2160 @ 240 Hz (DSC).

Description

The equip HDMI Cable not only brings superior audio and video experience but also provides bi-directional data streams. Connecting your HDMI equipments and HDMI-interfaced displays via this cable, you can enjoy the high quality online videos with ease.

By supporting a maximum bandwidth of 48 Gbps, content up to 8K Ultra HD (7680 x 4320 @ 60 Hz) resolution can be displayed

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Max. Resolution.	8K/60Hz
Connector 1.	HDMI-A, male
Connector 2.	HDMI-A, male
Approval and Compliance.	ROHS
Package Contents.	HDMI 2.1 Ultra High Speed Cable
Color.	Black
EAN.	4015867223291
Model Number.	119382
Cable Length.	3m
Dimensions (W x D x H).	180 x 170 x 3000 mm
Product weight (kg).	0,25
Conductor material.	Copper
Conductor size (AWG).	28AWG
Data Rate.	48Gbps
Cable Jacket material.	PVC
Standards.	HDMI 2.1

