

# 128860 USB 2.0 Type A to Type B Cable, 1.8m, Black

## Product Images

---



## Short Description

---

- USB 2.0
- USB Type A Male USB Type B Male
- Data transfer rate up to 480Mbps
- Nickel Plated
- Jacket: PVC

## Description

---

The equip® USB type A male to type B male cable is high-quality with double shielding to help deliver ultrafast and error-free data transmissions for top performance. Simply plug-and-play to connect a computer (PC/Mac) or USB hub to a printer, scanner, multifunction printer (MFP) or other USB peripherals to achieve full high-speed transfer rate of up to 480Mbps

## Additional Information

---

|                               |                                |
|-------------------------------|--------------------------------|
| Harmonized System (HS) code.  | 854442                         |
| Customs product code (TARIC). | 8544421000                     |
| Angled Plug.                  | No                             |
| Shielded.                     | Yes                            |
| Connector 1.                  | USB-A, male                    |
| Connector 2.                  | USB-B, male                    |
| Approval and Compliance.      | RoHS                           |
| Package Contents.             | USB 2.0 Type A to Type B Cable |
| Color.                        | Black                          |
| EAN.                          | 4015867164693                  |
| Model Number.                 | 128860                         |
| Cable Length.                 | 1.8m                           |
| Dimensions (W x D x H).       | 16 x 15 x 1800 mm              |
| Product weight (kg).          | 0,044                          |
| Conductor material.           | Copper                         |
| Conductor size (AWG).         | 28AWG                          |
| Data Rate.                    | 480Mbps                        |
| Cable Jacket material.        | PVC                            |
| Standards.                    | USB 2.0                        |

