


128893 USB 2.0 C to C 90° angled Cable, M/M, 3.0m, PD 100W, Black

Product Images



Short Description

- USB 2.0
- USB-C to C Male
- Double shielding for error-free data transfer
- With E-mark Chipset
- Data transfer rate up to 480Mbps
- support up to 20V/5A, Max. 100W
- Support of USB Power Delivery (PD)
- Nickel plated
- Jacket: PVC
- With 90° angled

Description

The Equip 128893 USB-C to C 90° angled cable with Emark chipset is a versatile and efficient solution for connecting and charging USB-C devices. With 90° angled design provides flexibility and convenience, especially in tight spaces or when using devices in landscape mode. This cable supports USB 2.0 data transfer speeds, offering reliable connectivity for peripherals like keyboards, mice, and external storage devices.

With a power delivery capability of up to 100W, it can efficiently charge various devices, including laptops, smartphones, and tablets. The Emark chipset ensures safe and efficient power delivery by managing the voltage and current flow.

This cable's USB-C connectors are reversible, allowing for easy plug-in without worrying about the orientation. Whether it's for data transfer or charging purposes

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	Yes
Shielded.	Yes
Connector 1.	USB-C, male
Connector 2.	USB-C, male
Approval and Compliance.	CE, RoHS
Package Contents.	USB 2.0 C to C 90° angled Cable
Color.	Black
EAN.	4015867231098
Model Number.	128893
Cable Length.	3m
Dimensions (W x D x H).	3000 x 4.5 x 4.5 mm
Product weight (kg).	0.11
USB Power Delivery (PD).	100W
Conductor material.	Copper
Data Rate.	480Mbps
Cable Jacket material.	PVC
Standards.	USB 2.0

