


128961 4-Port USB 3.2 Gen 1/2.0 Hub, USB-C to 4 x USB-A, 5Gbps SuperSpeed, USB Powered, Ultra-Slim Aluminum USB Expansion Hub for USB-C Laptops and Devices

Product Images





Short Description

- **Ports:** Add 1 x USB 3.2 Gen 1 port and 3 x USB 2.0 ports to your USB-C device
- **Connector:** USB-C Male to 4 x USB-A Female
- **Speed:** USB 3.2 Gen 1 SuperSpeed (up to 5Gbps), backward compatible with USB 2.0
- **Power:** USB powered, no external power adapter required
- **Build:** Aluminum casing with ultra-slim, lightweight design
- **Installation:** Simple Plug-and-Play installation

Description

The equip 128961 USB-C to 4-Port USB 3.2 Gen 1/2.0 Hub is a practical way to expand a single USB-C port into four USB-A ports, so you can connect keyboards, mice, flash drives, external hard drives and other peripherals to your USB-C laptop or desktop.

With 1 x USB 3.2 Gen 1 port and 3 x USB 2.0 ports, the hub supports SuperSpeed data rates up to 5Gbps for USB 3.2 devices while remaining fully backward compatible with USB 2.0 peripherals at standard speeds. Its compact, lightweight form factor makes it ideal for boosting connectivity and productivity at home, in the office or on the go when built-in ports are not enough.

The hub is powered via USB, so no external power adapter is required. An aluminum casing and ultra-slim design provide durability and easy portability, while simple plug-and-play installation lets you extend your USB connectivity on modern USB-C devices in just a few seconds.

Additional Information

Harmonized System (HS) code.	847180
Customs product code (TARIC).	8471800000
Connector 1.	USB-C, male
Approval and Compliance.	CE & RoHS
Compatible operating systems.	Windows 7/8/10/11 Mac OS X 10.6 and above Chrome OS
Package Contents.	4-Port USB 3.2 Gen 1/2.0 Hub, USB-C Quick Installation Guide
Color.	Silver
EAN.	4015867227619
Model Number.	128961
Cable Length.	0.15m
Dimensions (W x D x H).	17.2 x 7.3 x 93 mm
Product weight (kg).	0.02
Connector.	USB-C male
Data Rate.	5Gbps
Material.	Aluminum
Power supply included.	No
Standards.	USB 3.2 Gen 1

